



Shenzhen XingKeChuang Technology Co., Ltd.



=

IC

| | | |
|-----|---|---------------|
| | XKC-Y29D -V | XKC-Y29D -NPN |
| | DC12V -24V | |
| | 10%V | |
| | 10mA | |
| | 500mS | |
| | 100mS | |
| | -25~ 85 | |
| | 0% ~ 90% | |
| () | D3 D4 D6 D8 D10 D12 D13 D15 D16 D18 D20 D25 | |
| | 20% -25 ~ +60 | |
| | 25000uS/cm | |
| | 3mm | |
| | 500MM ±10MM | |
| | VCC | OUT GND MARK |
| | PC+ABS | |
| | IP67 | |
| | CE | |
| | ROHS-2.0 | |



| | | | | |
|----|------------------|-----|------|-----|
| 1 | XKC-Y29D-D3-V | | 3mm | 2mm |
| 2 | XKC-Y29D-D3-NPN | NPN | | |
| 3 | XKC-Y29D-D4-V | | 4mm | 2mm |
| 4 | XKC-Y29D-D4-NPN | NPN | | |
| 5 | XKC-Y29D-D6-V | | 6mm | 2mm |
| 6 | XKC-Y29D-D6-NPN | NPN | | |
| 7 | XKC-Y29D-D8-V | | 8mm | 4mm |
| 8 | XKC-Y29D-D8-NPN | NPN | | |
| 9 | XKC-Y29D-D10-V | | 10mm | 6mm |
| 10 | XKC-Y29D-D10-NPN | NPN | | |
| 11 | XKC-Y29D-D12-V | | 12mm | 6mm |
| 12 | XKC-Y29D-D12-NPN | NPN | | |
| 12 | XKC-Y29D-D13-V | | 13mm | 7mm |
| 14 | XKC-Y29D-D13-NPN | NPN | | |
| 15 | XKC-Y29D-D | | | |

J XKC ~~YC~~ * ~~D3D4~~

U

W




86-0755-33523599
<http://www.sz-xkc.com>



86-0755-33515410

5.1 XKC-Y29D-V



(100mA)




5.2 XKC-Y29D-NPN




NPN (100mA)

MARK

2



MARK




- 1. 1 ()
- 2. 2 MARK


- 5mm
- GND 1S




Shenzhen XingKeChuang Technology Co., Ltd.





Y29D-D10



Y29D-D12





1.

> 20mPaS



5.

6.

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

()

1.

2.

DOA

7

DOA

(

()

1.

/

/

2.

3.

)

()

()

()

()

()

()

/

12

DOA

7



Shenzhen XingKeChuang Technology Co., Ltd.